

MARK SCHEME for the May/June 2010 question paper
for the guidance of teachers

0620 CHEMISTRY

0620/61

Paper 61 (Alternative to Practical), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0620	61

- 1 (a) flask (1)
 tap/separating/dropping funnel (1) not burette
 gas jar (1) accept measuring cylinder [3]
- (b) gas should be collected downwards owtte (1) [1]
- (c) to remove impurities/water (1) [1]
- 2 wrong reagent, correct result = 0
- aqueous sodium iodide**
 (nitric acid)/silver/lead nitrate (1) yellow precipitate (1)
- hexene**
 bromine (water) (1) goes colourless (1) not clear
 accept lit splint burns
- nitric acid**
 named indicator (1) correct colour change/pH (1)
 or
 magnesium forms hydrogen/fizzes
 or
 (named) carbonate forms carbon dioxide/fizzes [6]
- 3 (a) volumes completed correctly
 0, 60, 68, 95, 98, 99, 100 –1 for each incorrect [4]
- (b) points plotted correctly (3) –1 for each incorrect
 smooth curve (1) [4]
- (c) point at 2 minutes (1) off curve owtte (1) [2]
- (d) steeper curve (1)
 levels out at same volume (1) [2]

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0620	61

4 (a) Table of results for Experiment 1

temperature boxes completed correctly (2), –1 for each incorrect [2]
 23 33 35 33 31 29 27

(b) Table of results for Experiment 2

temperature boxes completed correctly (2), –1 for each incorrect [2]
 23 25 27 26 25 24 23

(c) all points correctly plotted (3), –1 for any incorrect
 smooth line graphs (2) or two intersecting straight lines
 labels (1) [6]

(d) value from graph ± 1 small square (1) shown clearly (1) [2]

(e) (i) experiment 1 (1) [1]

(ii) acid C more concentrated (1)
 stronger (1)
 more collisions (1) max [2] [2]

(f) to clean it/remove acid C owtte (1) [1]

(g) room temperature or initial temperature from table (1)
 reaction finished owtte (1) [2]

5 tests on solid **E**

(c) (i) white (1)
 precipitate (1)
 with excess dissolves/clears/colourless (1) [3]

(ii) white precipitate (1)
 insoluble/no change (in excess) (1) [2]

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0620	61

- (d) contains water/hydrated (1) [1]
- (e) ammonia (1) not ammonium [1]
- (f) nitrate (1)
hydrated salt (1)
not a sulfate (1) max [2] [2]
- 6 (a) arrow must be underneath solid in tube (1) [1]
- (b) red/pink to blue (1) [1]
- (c) to cool/condense (the water/steam) (1) [1]
- (d) pressure would build up/air or gases needs to escape owtte (1) [1]
- 7 crush malachite (1) using pestle/mortar (1) add named acid (1)
solution formed (1) add magnesium/zinc/iron (1) displacement (1)
obtain copper/filter (1) max [6] [6]
- or first two steps (2) add carbon/reactive metal/hydrogen (1) heat (1)
displace/redox (1) until goes pink (1) obtain copper (1)
or first four steps (4) electrolyse solution (1) copper deposited at cathode (1)
obtain copper (1) NB If malachite anode used allow max 3 even if it would not work.

[Total: 60]