Discourse of a shall be accommissed in a shall be also		
Please check the examination details below before entering your candidate information		
Candidate surname		Other names
		J
Centre Number Candidate Nu	ımber	
Pearson Edexcel Inter	nation	al GCSE (9-1)
Tuocday 11 Juna 20'	2/1	
Tuesday 11 June 202	4	
	Paper	46114/260
Morning (Time: 1 hour 15 minutes)	reference	4CH1/2CR
Classistans		
UNIT: 4CH1		
UNIT: 4CHT		
PAPER: 2CR		
		J
You must have:		Total Marks
Calculator, ruler		
		JI J

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- Show all the steps in any calculations and state the units.

Information

- The total mark for this paper is 70.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶





The Periodic Table of the Elements

0	4 He helium 2	20 Ne	40 Ar argon 18	84 Kr krypton 36	131 Xe xenon 54	[222] Rn radon 86	fully
7		19 fluorine 9	35.5 CI chlorine 17	80 Br bromine 35	127 	[210] At astatine 85	orted but no
9		16 O oxygen 8	32 S sulfur 16	79 Selenium 34	128 Te tellunium 52	[209] Po polonium 84	we been rep
2		14 N nitrogen 7	31 P	75 As arsenic 33	122 Sb antimony 51	209 Bi bismuth 83	s 112–116 ha authenticated
4		12 C carbon 6	28 Si silicon 14	73 Ge germanium 32	119 Sn tin 50	207 Pb	mic numbers
က		11 boron 5	27 AI aluminium 13	70 Ga gallium 31	115 In indium 49	204 TI thallium 81	Elements with atomic numbers 112–116 have been reported but not fully authenticated
	'			65 Zn zinc 30	112 Cd cadmium 48	201 Hg mercury 80	Elem
				63.5 Cu copper 29	108 Ag silver 47	197 Au gold 79	Rg roentgenium 111
				59 nickel 28	106 Pd palladium 46	195 Pt platinum 78	[271] Ds damstadtium 110
				59 Co cobalt 27	103 Rh rhodium 45	192 	[268] Mt meitnerium 109
	1 Hydrogen			56 iron 26	Ru ruthenium 44	190 Os osmium 76	[277] Hs hassium 108
'				55 Mn manganese 25	[98] Tc technetium 43	186 Re rhenium 75	[264] Bh bohrium 107
		mass ɔol umber		52 Cr chromium 24	96 Mo molybdenum 42	184 W tungsten 74	[266] Sg seaborgium 106
	Key	relative atomic mass atomic symbol name atomic (proton) number		51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73	[262] Db dubnium 105
		relativ ato atomic		48 Ti tttanium 22	91 Zr zirconium 40	178 Hf hafnium 72	[261] Rf rutherfordium 104
	·			45 Sc scandium 21	89 Y yttrium 39	139 La* Ianthanum 57	[227] Ac* actinium 89
2		9 Be beryllium 4	24 Mg magnesium 12	40 Ca calcium 20	88 Sr strontium 38	137 Ba barium 56	[226] Ra radium 88
~		7 Li lithium 3	23 Na sodium 11	39 K potassium 19	85 Rb rubidium 37	133 Cs caesium 55	[223] Fr francium 87

^{*} The lanthanoids (atomic numbers 58–71) and the actinoids (atomic numbers 90–103) have been omitted.


The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.



Answer ALL questions.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

- 1 This question is about sulfur.
 - (a) The diagram represents the electronic configuration of an atom of sulfur.



(i) Which period of the Periodic Table contains sulfur?

(1)

- B 3
- □ 6
- (ii) What is the charge on a sulfide ion?

(1)

- A 1+
- B 2+



4

- (b) When a mixture of sulfur and zinc is heated to a high temperature a reaction occurs, forming the compound zinc sulfide, ZnS
 - (i) Give a reason why the mixture of sulfur and zinc needs heating before a reaction occurs.

(1)

(ii) Calculate the relative formula mass (M_r) of zinc sulfide.


[for Zn,
$$A_r = 65$$
 for S, $A_r = 32$]

(1)

 $M_{\rm r} =$

(Total for Question 1 = 4 marks)

2 (a) The diagram represents an atom of an element.



(i) What is the name of the particle labelled W?

(1)

- A electron
- B ion
- C neutron
- **D** proton
- (ii) What is the mass number of this atom?

(1)

- A 4
- **B** 5
- **D** 13

(1)

6



(b) These are the symbols for the two isotopes	s of lithium.
⁶ ₃ Li	⁷ ₃Li
(i) In terms of sub-atomic particles, give o between the two isotopes.	ne similarity and one difference (2)

similarity

difference

(ii) A sample of lithium contains 7.5% of ${}^{6}_{3}$ Li and 92.5% of ${}^{7}_{3}$ Li Calculate the relative atomic mass (A_r) of this sample of lithium.


(2)

 $A_r = \dots$

(Total for Question 2 = 6 marks)

- **3** This question is about magnesium metal and its compounds.
 - (a) (i) The diagram represents the structure of magnesium.

Complete the diagram by adding the labels.



(ii) Explain why magnesium is malleable.

(2)

(2)

(b) Magnesium burns in oxygen gas to form solid magnesium oxide.

(i) Complete the chemical equation for the reaction by balancing the equation and adding the state symbols.

(2)

.....Mg(s) +
$$O_2$$
(.....MgO(....MgO(....)

(ii) Give a reason why magnesium is oxidised in this reaction.

(1)



- (c) A student uses this method to make a solution of magnesium chloride.
 - Step 1 measure 25 cm³ of dilute hydrochloric acid into a beaker
 - Step 2 add magnesium powder a little at a time
 - Step 3 keep adding magnesium powder until it is in excess
 - Step 4 remove the excess magnesium powder by filtration

This is the equation for the reaction.

$$Mg(s) + 2HCl(aq) \rightarrow MgCl_2(aq) + H_2(g)$$

(i) Give a reason why the student uses magnesium powder rather than magnesium ribbon.

(1)

(ii) Give a reason why the student adds an excess of magnesium in step 3.

(1)

(iii) Calculate the minimum mass of magnesium needed to react with 25.0 cm³ of 2.00 mol/dm³ hydrochloric acid.

[for Mg,
$$A_r = 24$$
]

(3)

mass =

(Total for Question 3 = 12 marks)



- 4 This question is about the manufacture of ethanol by the fermentation of glucose.
 - (a) Fermentation needs to be done in the absence of air.

Give **two** other conditions needed for fermentation.

(2)

1

(b) Explain why fermentation needs to be done in the absence of air.

(2)

(c) (i) Complete the equation for fermentation.

(1)

$$C_6H_{12}O_6 \rightarrow 2C_2H_5OH + 2...$$

(ii) A mixture containing 500 mol of glucose is fermented.

A mass of 5750 g of ethanol is obtained.

Calculate the percentage yield.

[for ethanol, $M_r = 46$]

(3)

percentage yield = %

(Total for Question 4 = 8 marks)



5 Sodium sulfate can be prepared by the reaction between sodium hydroxide solution and sodium hydrogensulfate (NaHSO₄) solution.

This is the equation for the reaction.

$$NaOH(aq) + NaHSO_4(aq) \rightarrow Na_2SO_4(aq) + H_2O(l)$$

Sodium hydrogensulfate solution is acidic.

A student adds 25.0 cm³ of sodium hydroxide solution to a conical flask and adds two drops of indicator.

The student does a titration.

(a) (i) Name a piece of apparatus that should be used to add 25.0 cm³ of sodium hydroxide solution to the conical flask.

(1)

(ii) Describe the method the student should use to find the accurate volume of sodium hydrogensulfate solution needed to neutralise the 25.0 cm³ of sodium hydroxide solution.

(5)

(k	 The student repeats the titration without the indicator and forms a solution of sodium sulfate. 	
	Describe how the student can obtain pure, dry crystals of hydrated sodium sulfate from the solution.	
	nom the solution.	(4)
•••••		




(c) Crystals of hydrated sodium sulfate decompose when heated.

This is the equation for the decomposition.

$$Na_2SO_4.xH_2O \rightarrow Na_2SO_4 + xH_2O$$

A student uses this apparatus to find the value of x.



The student heats the crystals until the decomposition is complete.

The table shows the student's results.

mass of empty test tube in g	25.12
mass of test tube and Na ₂ SO ₄ .xH ₂ O in g	31.56
mass of test tube and Na ₂ SO ₄ in g	27.96

Use the results to calculate the value of x.

[for
$$Na_2SO_4$$
, $M_r = 142$ for H_2O , $M_r = 18$]

(4)


value of x =

(Total for Question 5 = 14 marks)





- **6** This question is about electrolysis.
 - (a) This apparatus is used to collect the gases produced when an electric current passes through dilute sulfuric acid.



(i) Name a suitable material for the inert electrodes.

(1)

(ii) Give a test to show that the gas produced at the positive electrode is oxygen.

(1)

(iii) Give a test to show that the gas produced at the negative electrode is hydrogen.

(1)

(iv) Give an ionic half-equation for the formation of hydrogen at the negative electrode.

(1)

(v) The oxygen gas in the tube has a volume of 17.8 cm³ at rtp.

Calculate the mass, in grams, of oxygen gas in the tube.

Give your answer to 3 significant figures.


[for O_2 at rtp, molar volume = $24000 \, \text{cm}^3$]

(3)

mass of oxygen =g



(b) This apparatus is used to electrolyse a concentrated solution of sodium chloride.



(i) Give a reason why sodium chloride solution conducts electricity.

(1)

(ii) The positive ions in the solution are H⁺ and Na⁺.

Give a reason why hydrogen forms at the negative electrode rather than sodium.

(1)

(iii) A sample of the solution is taken from near the negative electrode. The sample is tested with universal indicator.

Explain the final colour of the universal indicator.

(2)

(Total for Question 6 = 11 marks)

7	Gaseous ethanol is manufactured by	v reacting ethene gas with steam.
•	dascous ciriarior is manaractarea by	y reacting ethene gas with steam.

This is the equation for the reaction.

$$C_2H_4(g) \ + \ H_2O(g) \ \rightleftharpoons \ C_2H_5OH(g)$$

(a) (i) The pressure on an equilibrium mixture of the three gases is decreased. All the other conditions are kept the same.

Predict the effect of this change on the yield of ethanol at equilibrium, giving a reason for your answer.

(2)

(ii) Predict the effect of adding a catalyst on the yield of ethanol at equilibrium, giving a reason for your answer.

(2)



(b) The equation shows the displayed formulae for the reactants and products.

The table gives the bond energies.

Bond	Bond energy in kJ/mol
С—Н	414
c=c	614
о—н	463
с—с	346
C—0	358

(i) Using the data in the table and the equation, show that the enthalpy change, ΔH , is approximately -40 kJ/mol.

(3)

(ii) Explain, in terms of bonds broken and bonds made, why this reaction is exothermic.

(2)

(iii) Draw an energy level diagram for the reaction between ethene and steam.

Label the enthalpy change, ΔH .

(3)

Energy

- (c) Ethanoic acid reacts with ethanol to form ester A and water.
 - (i) Complete the equation by adding the displayed formula of ester A.

(2)

+

ester A

(ii) Give the name of ester A.

(1)

(Total for Question 7 = 15 marks)

TOTAL FOR PAPER = 70 MARKS



