

Mark Scheme (Results)

October 2023

Pearson Edexcel International Advanced Level In Chemistry (WCH16) Paper 01 Unit 6: Practical Skills in Chemistry II

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

October 2023

Question Paper Log Number P74314RA

Publications Code WCH16_01_MS_2310

All the material in this publication is copyright.

© Pearson Education Ltd 2023

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded.
 Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question Number	Answer	Additional Guidance	Mark
1(a)(i)	An answer that makes reference to the following point:		(1)
	• ammonia (gas) / NH ₃ ((g))	Do not award NH ₄ ⁺ / ammonium ion	

Question Number	Answer	Additional Guidance	Mark
1(a)(ii)	An answer that makes reference to the following point: • NH ₄ ⁺	Ignore ammonium Do not award ammonia/NH ₃ / NH ₄	(1)

Question Number	Answer	Additional Guidance	Mark
1(b)(i)	An answer that makes reference to the following points:		(2)
	• (with sodium hydroxide) deprotonation / removal of a proton (1)	Allow the hydroxide precipitate is showing amphoteric (behaviour) Allow neutralisation Allow acid/base	
	• (with ammonia) ligand exchange (is taking place) (1)	Allow ligand substitution Do not award deprotonation and ligand exchange Ignore any equations even if incorrect	

Question Number	Answer	Additional Guidance	Mark
1(b)(ii)	An answer that makes reference to the following point:		(1)
	\bullet Cr^{3+}	Allow chromium (III) Allow Cr(H ₂ O) ₆ ³⁺	

Question Number	Answer	Additional Guidance	Mark
1(c)(i)	An answer that makes reference to the following point:		(1)
	• SO ₄ ²⁻	Ignore sulfate	

Question Number	Answer	Additional Guidance	Mark
1(c)(ii)	An answer that makes reference to the following point:		(1)
	(the hydrochloric acid) reacts with/ removes/eliminates other ions that may give a precipitate (with barium chloride)	Allow (the hydrochloric acid) reacts with/removes/eliminates carbonate (ions) / CO ₃ ²⁻ / hydrogencarbonate (ions) / HCO ₃ ⁻ Allow sulfate(IV) / sulfite (ions) / SO ₃ ²⁻ Allow Ignore to dissolve the barium chloride If name and formula are given both must be correct	

Question Number	Answer	Additional Guidance	Mark
1(d)	An answer that makes reference to the following point:		(1)
	• NH ₄ Cr(SO ₄) ₂	Allow TE on (a)(ii), (b)(ii) and (c)(i) even if the ions are wrong e.g. V ²⁺ , Cr ³⁺ and SO ₄ ²⁻ so V ₂ Cr ₂ (SO ₄) ₅ would score	
		Allow ratios where the charges balance out such as (NH ₄) ₃ Cr(SO ₄) ₃	
		Ignore water of crystallisation in the formula	
		Do not award any TE formula containing one anion and one cation	
		Do not award any TE formula that is charged Do not award any TE formula with 2 anions and 1	
		cation	

(Total for Question 1 = 8 marks)

Question Number	Answer		Additional Guidance	Mark	
2(a)	An answer that makes reference to the following points:			(2)	
	• Ketone	(1)	Ignore carbonyl Ignore the type of ketone e.g. methylketone will score		
	carboxylic acid	(1)	Allow just carboxyl Allow just carboxylic Allow near miss spellings eg carboxilic acid, keytone/keton If three groups are given score 1 for 2 correct and 1 wrong answer but 0 for 1 correct and 2 wrong answers. If four or more groups are given score 0 Ignore COOH etc		

Question Number	Answer	Additional Guidance	Mark
2(b)(i)	An answer that makes reference to the following point:		(1)
	bubbles / effervescence	Allow fizzing Ignore colourless gas given off / CO ₂ given off Do not award any reference to misty fumes Do not award bubbles and white ppt	

Question Number	Answer		Additional Guidance	Mark	
2(b)(ii)	An answer that makes reference to the following points:			(1)	
	Observations				
	Initial colour	Final colour			
	orange (solution)	orange (solution)		Allow no change for final colour Allow no observation	
			-		

Question Number	Answer	Additional Guidance	Mark
2(b)(iii)	 An answer that makes reference to the following points: yellow / orange / red and 		(1)
	precipitate	Allow ppte / ppt / solid / crystals Allow near miss spellings Ignore shades of colour	

Question Number	Answer		Additional Guidance	Mark	
2(b)(iv)	An answer that makes reference to the following points: Observations			(1)	
	Initial appearance	Final appearance			
	blue (solution)	blue (solution)		Allow no change for final appearance Allow no observation	
				Ignore shades of colour eg deep blue Do not award blue precipitate/solid	

Question Number	Answer	Additional Guidance	Mark
2(b)(v)	An answer that makes reference to the following points:		(1)
	• (pale) yellow and precipitate	Allow ppte / ppt / solid / crystals Allow near miss spellings of precipitate Allow just antiseptic smell	

Question Number	Answer	Additional Guidance	Mark
Number 2(c)	An answer that makes reference to the following points: Any non-cyclic, saturated molecule that contains • an aldehyde group (1) (1)	Examples include H C H C H C C C C C C C C C C C C C C	(2)
		Allow skeletal / structural formulae or combination If the structure contains an obvious error e.g. a pentavalent C , max 1 If the structure is not $C_3H_4O_3$ max 1	

(Total for Question 2 = 9 marks)

Question Number	Answer		Additional Guidance	Mark
3(a)	An explanation that makes reference to the following points:			(2)
	 ethanedioic acid is soluble in water or not very soluble in hexane 	(1)	Allow ethanedioic acid dissolves better in water Allow insoluble/does not dissolve in hexane	
	because ethanedioic acid can form hydrogen bonds (in water) or ethanedioic acid is a polar molecule and so it dissolves in polar solvents (such as water) or ethanedioic acid is a polar molecule and so is insoluble in a non-polar solvent (such as hexane)	(1)	Ignore any other types of intermolecular force If no other mark is scored allow (1) for discussion of the flammability of hexane	

Question Number	Answer	Additional Guidance Mark
3(b)(i)	An answer that makes reference to the following points:	(3)
	• (sodium hydroxide will require the indicator) phenolphthalein (1)	Allow other indicators eg Methyl orange from red to orange (not yellow) scores M1 and M2 Do not award litmus/universal indicator
	• at the end-point the colour change will be from colourless to pink (1)	Both colours required Allow red M2 dependent on M1
	• (the cerium titration is self-indicating and) at the end-point the colour change will be from colourless to yellow	Allow just solution becomes yellow Ignore any reference to bubbles being formed
		Note Allow one mark for both colour changes reversed.
		Phenolphthalein pink to colourless and yellow to colourless for the cerium titration scores 1
		Methyl orange yellow to orange and yellow to colourless for the cerium titration scores 1

Question Number	Answer		Additional Guidance	Mark
3(b)(ii)			Example of calculation	(5)
	• moles of NaOH in the mean titre	(1)	$20.60 \times 0.0400 \div 1000 = 0.000824 / 8.24 \times 10^{-4} $ (mol)	
	• moles (COOH) ₂ in 25.0 cm ³ of solution	(1)	$8.24 \times 10^{-4} \div 2 = 4.12 \times 10^{-4} / 0.000412 \text{ (mol)}$	
	• moles (COOH) ₂ in 1000.0 cm ³	(1)	$4.12 \times 10^{-4} \times 40 = 1.648 \times 10^{-2} / 0.01648 $ (mol)	
	• mass (COOH) ₂ in 1000.0 cm ³	(1)	$0.01648 \times 90 = 1.4832 (g)$	
	 calculation of % by mass 		$100 \times 1.4832 \div 319 = 0.46495$	
	and answer to 2 or 3 SF	(1)	0.46% / 0.465%	
	Comment if the answer is not correct the marks are for the process		Allow 0.47% TE throughout unless percentage greater than 100%	
	M2 ÷ 2		If not $\div 2 = 0.930 \% / 0.93\%$ scores 4	
	M3 × 40		If not \times 40 = 0.0116% / 0.012% scores 4	
	M4 × 90		If not \times 90 = 0.00517% / 0.0052 / 5.17 \times 10 ⁻³ /	
	M5 ÷ 3.19 × 100 and correct SF		5.2×10^{-3} scores 4	
	The order is not important			
	Correct answer with or without working scores 5			

Question Number	Answer		Additional Guidance	Mark
3(c)			Example of calculation	(3)
	• moles of (COOH) ₂	(1)	$500 \times 0.5 \div 1000 = 0.25 \text{ (mol)}$	
	 calculation of molar mass 	(1)	$31.5 \div 0.25 = 126 \text{ (g mol}^{-1})$	
	• calculation of x	(1)	126 – 90	
			$36 \div 18 = 2$	
	Comment There are various way to do this		Or	
	calculation and most are getting it correct. If there is some working with a correct		$500 \times 0.5 \div 1000 = 0.25 \text{ (mol)}$	
	answer award full mark		$0.25 \times 90 = 22.5$ and $31.5 - 22.5 = 9$	
	But if there is a correct answer and no working score 0.		$9 \div 18 = 0.5$ and 0.25 : $0.5 = 2$	
			Allow TE except for wrong molar mass of water	
			Correct answer with some working scores 3	

(Total for Question 3 = 13 marks)

Question Number	Answer	Additional Guidance	Mark
4(a)(i)	An answer that makes reference to the following points:		(1)
	corrosive	Ignore skin irritant	
	and		
	oxidising (agent)	Allow oxidant/ oxidizer	
		Allow oxidising agent that causes flammability	
		Ignore order	
		Do not award oxidative	
		Do not award oxidable	
		Do not award combustion adjuvant	
		Do not award flammable	

Question Number	Answer	Additional Guidance	Mark
4(a)(ii)	An answer that makes reference to the following point:		(1)
	• (wear) gloves	Allow keep away from flammable substances Ignore use it in a fume cupboard/open space Ignore use a small quantity Ignore use tongs	

Question Number	Answer		Additional Guidance	Mark
4(b)	An answer that makes reference to the following points:			(2)
	• the reaction is (highly) exothermic	(1)	Ignore mixture gets hot/ (heat) energy given off/ heat is produced Comment: the question implies that the reaction gets hot so M1 is only for exothermic	
	(if the temperature gets too hot) other reactions may take place / multiple substitutions may take place / multiple nitration may take place/the ester may be hydrolysed	(1)	Allow mixture will boil and reactants will be lost Allow reactants will evaporate Allow other products may be formed Ignore products will evaporate Ignore splash / spray /spill/spit Ignore to keep the temperature below 7°C/ low	
	Standalone marks		Ignore prevents decomposition Ignore violent reaction Do not award phenol may be formed	

Question Number	Answer	Additional Guidance	Mark
4(c)(i)	An answer that makes reference to the following point:		(1)
	 solid / methyl 3-nitrobenzoate is (very) soluble at high temperatures (in methanol) but less soluble / insoluble at low temperatures 	Allow the solubility of methyl 3-nitrobenzoate (in methanol) varies with temperature Ignore any reference to water	

Question Number	Answer	Additional Guidance	Mark
4(c)(ii)	An answer that makes reference to the following points:		(2)
	• the first/hot filtration removes/ separates the insoluble impurities (1)	Ignore removes solid impurities	
	• the second/cooled filtration removes/separates the soluble impurities (1)	Remove the insoluble and soluble impurities scores 2 as this is the order the filtrations are done in	
		Remove the soluble and insoluble impurities scores 1 as this is not the order the filtrations are done in	
		Just removes impurities score 0	

Question Number	Answer	Additional Guidance	Mark
4(c)(iii)	An answer that makes reference to the following points:		(2)
	• to wash off (soluble) impurities (on the crystals of methyl 3-nitrobenzoate) (1)	Allow to wash so there are no other compounds on the crystals Allow to remove (soluble) impurities (on the crystals of methyl 3-nitrobenzoate) Ignore just to clean the crystal Ignore so the crystals are pure Do not award to remove the insoluble impurities	
	• ice-cold so that the crystals do not dissolve (1)	Ignore to obtain more crystals/increase yield	

Question Number	Answer		Additional Guidance	Mark
4(d)(i)			Example of calculation	(2)
	moles of methyl benzoate and mass of methyl 3-nitrobenzoate	(1)	1.95 ÷ 136 = 0.014338 (mol) 0.01434 × 181 = 2.5952 (g)	
	% yield calculation	(1)	$100 \times 1.51 \div 2.595 = 58.184 \%$	
	Or • moles of methyl benzoate and moles of methyl 3-nitrobenzoate	(1)	$1.95 \div 136 = 0.014338 \text{ (mol)}$ $1.51 \div 181 = 0.0083425$	
	% yield calculation	(1)	$100 \times 0.0083425 \div 0.014338 = 58.184 \%$	
	Most are getting full marks here with a slightly different value due to intermediate rounding. If the answer is not 58.184 just check their final calculation and if that agrees with their rounding award full marks.		Ignore SF except 1SF in final answer Ignore rounding/ truncating errors except in the final answer	

Question Number	Answer	Additional Guidance	Mark
4(d)(ii)	An answer that makes reference to one of the following points: side reactions dinitration / multiple nitrations/ substitutions incomplete reaction loss when transferring from the conical flask to the beaker loss during recrystallisation some product remains in solution	Ignore just transfer loss Ignore impure methyl benzoate/starting material may not be pure Do not award crystals are not dry	(1)

(Total for Question 4 = 12 marks)

Question Number	Answer	Additional Guidance	Mark
5(a)	An answer that makes reference to the following points:		(2)
	• to react with the iodine formed (1	Allow to remove the iodine Allow to reduce the iodine (to iodide ions) Allow balanced equation	
	• so a colour change occurs when a certain amount of reaction has taken place (1	Allow to delay the colour change / solution turning blue-black Allow so the solution does not immediately change colour	
	Standalone marks	Allow when all the sodium thiosulfate is used up the iodine reacts with the starch/ there is a colour change (2)	
		Do not award to slow down the reaction to delay the colour change	

Question Number	Answer		Additional Guidance	Mark
	 suitable axes and labels with units Axes wrong way round lose M1 points plotted correctly within half a square points joined with a straight line through the origin/would hit the origin if the line was extended Be lenient here as many have a scale that has no origin and so it will need estimating. Allow +/- two squares Points here for convenience Volume 	(1)	The points plotted must cover at least half the grid in both directions 0.018 0.016 0.014	Mark (3)
	5 0.0037 10 0.0072 15 0.011 20 0.014 25 0.018		0.004 0.004 0.002 0.002 0.002 Vol KI/cm ³	

Question Number	Answer		Additional Guidance	Mark
5(b)(ii)	An answer that makes reference to the following points:			(2)
	• first order with respect to iodide ions	(1)		
	because graph is a straight line through the origin	(1)	Allow the graph (of rate and concentration) is a straight line/ linear Allow rate is proportional to concentration/volume Allow 1/t is proportional to concentration /volume Allow the relationship between two points Allow constant gradient	

Question Number	Answer	Additional Guidance	Mark
5(c)	An answer that makes reference to the following point:		(1)
	 (the concentrations of hydrogen peroxide and sulfuric acid are effectively constant) so the rate is only dependent on the iodide ions/KI 	Allow they (hydrogen peroxide and sulfuric acid) do not affect the rate	
		Ignore iodide ions are the only variable/only the concentration of iodide ions is changing	

(Total for Question 5 = 8 marks) (Total for Paper = 50 marks)