

#### **CAMBRIDGE INTERNATIONAL EXAMINATIONS**

International General Certificate of Secondary Education

### MARK SCHEME for the November 2003 question papers

	0620 CHEMISTRY
0620/01	Paper 1 (Multiple Choice), maximum mark 40
0620/02	Paper 2 (Core), maximum mark 80
0620/03	Paper 3 (Extended), maximum mark 80
0620/05	Paper 5 (Practical), maximum mark 40
0620/06	Paper 6 (Alternative to Practical), maximum mark 60


These mark schemes are published as an aid to teachers and students, to indicate the requirements of the examination. They show the basis on which Examiners were initially instructed to award marks. They do not indicate the details of the discussions that took place at an Examiners' meeting before marking began. Any substantial changes to the mark scheme that arose from these discussions will be recorded in the published *Report on the Examination*.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the Report on the Examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the November 2003 question papers for most IGCSE and GCE Advanced Level syllabuses.



#### Grade thresholds taken for Syllabus 0620 (Chemistry) in the November 2003 examination.

	maximum	n	ninimum mark re	equired for gra	ade:
	mark available	Α	С	E	F
Component 1	40	-	28	22	18
Component 2	80	-	58	45	36
Component 3	80	46	28	-	_
Component 5	40	28	22	17	13
Component 6	60	44	34	25	19

The threshold (minimum mark) for B is set halfway between those for Grades A and C. The threshold (minimum mark) for D is set halfway between those for Grades C and E. The threshold (minimum mark) for G is set as many marks below the F threshold as the E threshold is above it.

Grade A\* does not exist at the level of an individual component.



#### INTERNATIONAL GCSE

## MARK SCHEME

**MAXIMUM MARK: 40** 

SYLLABUS/COMPONENT: 0620/01

**CHEMISTRY** 

(Multiple Choice)

Page 1	Mark Scheme	Syllabus	Paper
	IGCSE - NOVEMBER 2003	0620	1

Question Number	Key	Question Number	Key
1	Α	21	D
2	D	22	Α
3	В	23	С
4	С	24	Α
5	В	25	В
6	D	26	В
7	Α	27	В
8	С	28	Α
9	В	29	D
10	В	30	D
		<del> </del>	
11	В	31	D
12	D	32	В
13	Α	33	Α
14	D	34	С
15	Ð	35	В
16	В	36	Α
17	С	37	С
18	С	38	Α
19	С	39	В
20	С	40	В



## **INTERNATIONAL GCSE**

## MARK SCHEME

MAXIMUM MARK: 80

SYLLABUS/COMPONENT: 0620/02

CHEMISTRY Core

	Page 1		Mark Scheme	Syllabus	Paper
			IGCSE – NOVEMBER 2003	0620	2
1	(a)	(i)	В		[1]
		(ii)	A		[1]
		(iii)	С		[1]
		(iv)	D		[1]
	(b)	(i)	distillation ALLOW: fractional distillation		[1]
		(ii)	chromatography		[1]
	(c)	(i)	fuel gas		[1]
		(ii)	paraffin: any one of: oil stoves/heaters/for heating; aircraft fuel; ALLOW: for lamps/for lighting/for cooking bitumen: any one of: road surfaces; ALLOW: for roads roofing tar; NOT: 'tar' without qualification		[1]
			in/for electrical cables; NOT: electrical cables		[1]
	(d)		hydrocarbons		[1]
	(e)		correct structure with correct pairings of dots and cross (correct structure with only dots or only crosses/random IGNORE: lack of inner electron shell of carbon		[2] es = 1)
	(f)		alkane(s)		[1]
				То	tal = 13
2	(a)		respiration		[1]
	(b)	(i)	lighted splint/put mouth of test tube of hydrogen in flam pops/explosion	e;	[2]
		(ii)	makes explosive mixture		[1]
		(iii)	(red) litmus paper/universal indicator paper/pH paper; turns blue ALLOW: HCl gas/HCl on glass rod; white fumes		[2]
	(c)		correct displayed/geometric formula for ethanoic acid (all bonds must be shown)		[1]
	(d)	(i)	2H <sub>2</sub>		[1]
		(ii)	fuel/ <u>making</u> ethyne/ <u>making</u> carbon black/ <u>making</u> synthe <u>making</u> methanol NOT: natural gas NOT: cooking	esis gas/	[1]

	Page	e 2	Mark Scheme	Syllabus	Paper
			IGCSE – NOVEMBER 2003	0620	2
		(iii)	1 <sup>st</sup> and 3 <sup>rd</sup> boxes ticked 1 box correct = 1 mark		[2]
	(e)	(i)	zinc		[1]
		(ii)	iron/nickel ALLOW: zinc		[1]
		(iii)	lead		[1]
		(iv)	calcium carbonate		[1]
		(v)	aluminium		[1]
				Tota	al = 16
3	(a)		In iron making ALLOW: in blast furnace/for neutralising <u>acid</u> soils or <u>acid</u> building/ <u>making</u> cement OR concrete/hard core/road NOT: removing impurities from iron ore NOT: purification of water		
	(b)		$C + O_2 \rightarrow CO_2$ correct formula for oxygen; correct formula for carbon dioxide (-1 per other error) ALLOW: $2C + O_2 \rightarrow 2CO$ (2 marks)		[2]
	(c)		exothermic NOT: combustion		[1]
	(d)		calcium oxide; carbon dioxide NOT: symbols		[2]
	(e)	(i)	2 (HC <i>l</i> )		[1]
		(ii)	limewater; turns milky/cloudy		[2]
	(f)	(i)	oxidation; the carbon has gained oxygen/oxidation number of carb increased/carbon has lost electrons (the answer must refer to the carbon) NOT: carbon gets oxidised	oon has	[2]
		(ii)	blowtorches/welding/cutting metals ALLOW: to make (monomers for) neoprene/synthetic ru	ıbber	[1]
			NOT: other organic syntheses	Tot	al = 12

4	(a)		halogen(s)	[1]
	(b)	(i)	(atoms with same atomic number) but different mass number/different numbers of neutrons/different nucleon number NOT: atoms with different atomic masses	t [1]
		(ii)	35 + 35 44; 46 35 + 35	[1] [2] [1]
	(c)	(i)	chlorine more reactive (than bromine)/higher in the reactivity series (than bromine) (or reverse argument) ALLOW: it is more reactive NOT: chlorine higher in the table	[1]
		(ii)	potassium bromide + chlorine → potassium chloride + bromine ALLOW: completely correct symbol equation	[1]
	(d)	(i)	3.5 ALLOW: 3.3- 3.5	[1]
		(ii)	pH 3	[1]
		(iii)	pH 7	[1]
	(e)		bromine (water) decolourised/goes from red-brown/orange/brown to colourless ALLOW: it is decolourised NOT: incorrect colours to colourless	[1]
			Tota	l = 12
5	(a)		5 (O <sub>2</sub> )	[1]
	(b)		anhydrous/white copper sulphate; turns blue OR anhydrous/blue cobalt chloride; turns pink NOT: boiling point 100°C	[2]
	(c)		1 <sup>st</sup> and 2 <sup>nd</sup> boxes ticked	[2]
	(d)	(i)	carbon monoxide	[1]
		(ii)	incomplete combustion of the fuel/gas/burning in limited amount of oxygen/air NOT: incomplete burning NOT: lack of air	[1]
	(e)	(i)	gas	[1]

Mark Scheme IGCSE – NOVEMBER 2003 Syllabus

0620

Paper

2

Page 3

		(ii)	coal	[1]
			any two of: erodes buildings containing (calcium) carbonate OR erodes/corrodes metals in buildings; NOT: corrodes (calcium) carbonate kills (small) animals in water OWTTE/kills pond life; (NOT: kills animals) damages trees/plants/causes leaf burn/damages plant roots; ALLOW: kills plants NOT: causes breathing difficulties NOT: destroys buildings/wildlife/plants/animals	[2]
		(iv)	white; precipitate/solid	[2]
			Tota	ıl = 13
6	(a)		aluminium high in reactivity series/too reactive ALLOW: aluminium higher in reactivity series than carbon ALLOW: carbon will not reduce aluminium oxide	[1]
	(b)		electrical heating NOT: heating	[1]
	(c)		conducts electricity/ ALLOW: good conductor NOT: has high melting point/inert/unreactive	[1]
	(d)		cathode	[1]
	(e)		saves energy/too much energy required to melt aluminium oxide; ALLOW: too much heat required/electricity OR heat is expensive NOT: unqualified 'expensive': will not melt the steel casing ALLOW: melting point is higher than steel NOT: melting point too high	[2]
	(f)		any two of : oxygen reacts with the carbon/graphite/(positive) electrode/anode ge	ts
			oxidised; carbon dioxide formed; carbon electrodes/anodes decrease in size/get eroded away ALLOW: anodes get eaten away/wear away NOT: anodes dissolve	[2]
	(g)		3 e <sup>-</sup> ALLOW 3e	[1]
	(h)		positive ions attracted to negative electrode/positive charges attracte negative/aluminium has oppositely charged ions to the negative electrode/positive aluminium ions are positive	

Mark Scheme IGCSE – NOVEMBER 2003 Syllabus 0620 Paper 2

Page 4

Page 5	Mark Scheme	Syllabus	Paper
	IGCSE – NOVEMBER 2003	0620	2

(i) 60% [1]

(ii) 3 from: malleable; ductile; sonorous; shiny;

conduct heat; conduct electricity

ALLOW: flexible/bendy

NOT: high melting/boiling points/high densities

Total = 14

[3]



### **INTERNATIONAL GCSE**

## MARK SCHEME

**MAXIMUM MARK: 80** 

SYLLABUS/COMPONENT: 0620/03

CHEMISTRY Extended • An incorrectly written symbol, e.g. NA or CL, should be penalised once in a question.

In the mark scheme if a word **or** phrase is underlined it(**or** an equivalent) is required for the award of the mark.

(.....) is used to denote material that is not specifically required.

**OR** designates alternative and independent ways of gaining the marks for the question.

or indicates different ways of gaining the same mark.

**cond** indicates that the award of this mark is conditional upon a previous mark being gained.

- Unusual responses which include correct Chemistry that answers the question should always be rewarded - even if they are not mentioned in the marking scheme.
- All the candidate's work must show evidence of being marked by the examiner.

1	(a)		different boiling points methane or water or petroleum or named petroleum fraction or alkane	[1]
			Any TWO	[2]
	(b)	(i)	volume decrease for forward reaction or fewer moles of gas on products side favoured by increase in pressure	[1] [1]
		(ii)	<b>or</b> increase in pressure moves position of equilibrium to rig increase	[1]
		()	exothermic reaction favoured by lower temperature	[1]
		(iii)	300 to 600 °C 1:3 volume ratio iron (catalyst) 150 to 300 atm	
			Any TWO	[2]
	(c)	(i)	proton hydrogen ion or H <sup>+</sup> ONLY [1]	[2]
		(ii)	correct equation molecular or ionic $NH_3 + HCl = NH_4Cl$	[1]
			$NH_3 + H^+ = NH_4^+$ accept $NH_4OH$	
	(d)		measure pH or add universal indicator or pH meter ammonia has lower pH if numerical values given	[1]

		must be appropriate that is above 7 with ammonia having the value <b>or</b> correct colours, green and blue are acceptable <b>OR</b> measure conductivity ammonia has poorer conductivity	lower [1] [1] [1]
(e)	(i)	correct structural formula	[1]
		H H H	
	(ii)	8e around nitrogen 2e around each hydrogen	[1] [1]
		н н	
	Н	o ** * ** o H · ·	
TO	ΓAL	= 17	
(a)	(i)	40 80 <b>or</b> 40 1	[1] [1] [1]
	(ii)	particles have more energy or moving faster collide more frequently	[1]
	(iii)	or collide with more energy greater surface area	[1] [1]
		flour mills or coal mines or metal powders or fireworks or gunpowder	[1]
(b)	(i)	collect and measure volume of oxygen or mass or count bubbles	[1]
	(::)	time	[1]
	(ii)	measure rate in different light levels and comment accept if dark no reaction	[1]
(c)	(i)	+6O <sub>2</sub>	[2]
	(ii)	not balanced that is just O <sub>2</sub> <b>ONLY</b> [1] linkageO	[1]
		chain minimum to be accepted	[1]

## TOTAL = 14

3	(a)	(i)	heat or roast in air	[1] [1]
		(ii)	Either correct equation $ZnO + C = Zn + CO$	[2]
			$2ZnO + C = 2Zn + CO_2$	
			Not balanced ONLY [1]	
			NOT carbon monoxide as a reductant	
		(iii)	bp of lead above 1400 $^{0}$ C it remains bp of zinc below 1400 $^{0}$ C	
			boils away or forms vapour	
			Any TWO	[2]
			OR lead does not boil	[1]
			zinc boils	[1]
	(b)	(i)	making brass or any zinc containing alloy or galvanising	[1]
	( )	, ,	or sacrificial protection or batteries or roofs	
		(ii)	lattice or layers of (positive) ions	
			delocalised <b>or</b> free <b>or</b> mobile electrons layers/atoms/particles can slip	[3]
		(iii)	different size atom <b>NOT</b> shape	[1]
		` /	prevents layers from moving	[1]
	(c)	(i)	one involving lead – change 2	[1]
	(0)	(1)	cond because electrons are gained	[1]
			or oxidation number less	
		(ii)	correct equation $Zn + 2Ag^{+} = 2Ag + Zn^{2+}$	[2]
			not balanced <b>ONLY</b> [1]	
TO	ΓAL	= 16		
4	(a)	(i)	in which something dissolves	[1]
		(ii)	correct formula	[1]
			CH <sub>2</sub> COOC <sub>2</sub> H <sub>2</sub> or full structural formula	

## NOT C<sub>4</sub>H<sub>8</sub>O<sub>2</sub>

5

	(iii)	steam or water or hydration heat or catalyst	[1] [1]
		<b>OR</b> bubble into (concentrated) sulphuric acid add water	[1] [1]
		oxidised by air or dichromate or manganate(VII)	[1] [1]
	(iv)	ethanoic acid and butanol	[1]
(b)	(i)	CH <sub>2</sub> OH CHOH CH <sub>2</sub> OH	[1]
	(ii)	soap or detergent	[1]
(c)	(i)	polyester or condensation polymer NOT terylene	[1]
	(ii)	HOOC - COOH	[1]
		но- ОН	[1]
		way around [1] Point of attachment of functional group to "Intant	oox"
(d)	(ii) (iii)	protein or poly peptide or polyamide peptide or amide amino acids are colourless or become visible/coloured or to develop it using colour or from position OR discussion of Rf OR compare with known amino acids	[1] [1] [1] [1] [2] [2]
TO	ΓAL	*	[~]
(a)	(i) (ii)	preserve food <b>or</b> sterilising making paper	[1] [1]

(0)	(ii) oxygen (iii) vanadium oxide as catalyst (ignore oxidation state) 400 to 500 °C	[1] [1]
	pressure less than 10 atm Any TWO	[2]
(c)	<ul> <li>(i) pink or purple colourless NOT clear</li> <li>(ii) barium sulphate cond bromine oxidises or reacts with sulphur dioxide to form sulphate ion</li> </ul>	[1] [1] [1] [1]
(d)	the number of moles of $SO_2$ in the mixture = 0.125 the number of moles of $Cl_2$ in the mixture = 0.2 cond reagent was not in excess? $SO_2$ cond moles of $SO_2Cl_2$ formed = 0.125 cond the mass of sulphuryl chloride formed = 16.9g	F63
TOTAL	= 16	[5]
TOTAL	for PAPER = 80	



### **INTERNATIONAL GCSE**

# MARK SCHEME

**MAXIMUM MARK: 40** 

SYLLABUS/COMPONENT: 0620/05

CHEMISTRY Practical

	≀ues Num		0620/05 MARK SCHEME DETAILS November 2003		Part Mark
1			Times recorded in seconds in table	(1)	
			Times increasing in magnitude	(1)	
			Comparable to Supervisor's results	(2)	4
	(a)		Suitable scale for time/s	(1)	
			Points plotted correctly	(2)	
			-1 for each incorrect		
			Smooth line graph	(1)	4
	(b)		colourless	(1)	
			to blue/purple	(1)	2
	(c)		Estimate read from graph	(1)	
			Unit	(1)	2
			Indication correct on graph	(1)	1
	(d)	(i)	Experiment 1	(1)	1
		(ii)	Greatest concentration of bromate	(1)	
			therefore more collisions	(1)	2
	(e)	(i)	Two sources of error	(2)	
			e.g. inaccurate measurement of named liquid into beaker/stopping timer at same colour level/timing problem – <u>not</u> use of timer		2
		(ii)	Two improvements	(2)	
			e.g. use a burette/use a colorimeter/read and average		2
				Sub-to	otal = 20
2	(a)		yellow/brown/orange	(1)	1
	(b)	(i)	orange/brown	(1)	
			precipitate	(1)	
			remains/insoluble in excess	(1)	3
		(ii)	Litmus → blue/indicator pH > 7	(1)	
			smell of gas	(1)	2
	(c)		orange/brown	(1)	
			precipitate	(1)	
			remains/insoluble in excess	(1)	3

		Sub-tota	al = 20
	or correct formulae		4
	sulphate	(1)	
	ammonium	(1)	
(f)	iron(III) = 2 marks, iron only = 1 mark	(2)	
			2
	precipitate	(1)	
(e)	white	(1)	
			2
	precipitate	(1)	
	green	(1)	
	pops	(1)	3
	lighted splint	(1)	
(d)	fizz/bubbles etc	(1)	

Total for paper = 40




### **INTERNATIONAL GCSE**

## MARK SCHEME

**MAXIMUM MARK: 60** 

SYLLABUS/COMPONENT: 0620/06

CHEMISTRY
Alternative to Practical



Page 1	Mark Scheme	Syllabus	Paper
	IGCSE EXAMINATIONS – NOVEMBER 2003	0620	6

Question Number	Question (Including any Source Details)	Part Mark
1 (a)	Boxes labelled clockwise: Condenser (1) Beaker (1) Fractionating column (1)	3
(b)	↑ underneath flask (1)	1
(c)	Fractional (1) distillation (1)	2
2 (a)	Larger surface area (1) Quicker to extract colour/more colour extracted (1) not easier/faster	2
(b)	Reference to ethanol (1)	1
(c)	Reference to flammability of ethanol (1)	1
(d)	To prevent loss of solvent (1) not splash/evaporation	1
(e)	Pour off liquid (1)	1
<b>(f)</b>	Chromatography (1) Apply orange concentrate (1) to paper (1) Use of solvent (1) Description of elution (1) Result of experiment (1)  Max 5 – all marks could be obtained from a suitable diagram	5
3	Table. Times read correctly: 4s (1) 8s (1) 14s (1) 30s (1) 82s (1)	5
(a)	Points plotted correctly (3) (-1 for each incorrect) Smooth line graph (1)	4
(b)	Read from graph – should be $\simeq 48 (1) \underline{s} (1)$ Indication on graph (1)	2 1
(c) (i)	Experiment 1 (1)	1
(ii)	Greatest concentration/amount of bromate (1) Therefore more collisions (1)	2

Page 2	Mark Scheme	Syllabus	Paper
	IGCSE EXAMINATIONS – NOVEMBER 2003	0620	6

1	estion mber	Question (Including any Source Details)	Part Mark
	(d) (i)	Two errors: e.g. use of m cylinder inaccurate (1)/use of timer (1)/detecting when cross not visible	2
	(ii)	Improvements: e.g. use of burette (1)/use of computer data logging (1)/use of colourimeter (1) insulate repeat and average	2
4	(b) (i)	Orange/brown (1) Precipitate (1) No change in excess (1)	3
	(c)	Orange/brown precipitate (1) No change in excess (1)	2
	(f) (i)	Hydrogen (1)	1
	(ii)	Reduction/redox/displacement (1) iron (II) formed (1)	2
	(g)	Cation – ammonium (1) Anion – sulphate (1)	2
5	(a)	Sodium hydroxide (1)	1
	(b)	Ammonium sulphate (1)	1
	(c)	Bunsen burner (1)	1
	(d)	Reference to reaction (1)	1
	(e)	Gas jar wrong way up (1) Gas is less dense than air (1)	2
	:	Tubes in flask should be evened (1) Liquid would be transferred to gas jar (1)	2
		Also credit in (c)	:
6		Weigh coal sample (1) same amount  Burn coal (1)  Pass gas or diagram to show (1)  Through acid/dichromate (1)  Use of timer (1)  Record time for colour change (1)  Repeat/compare with other samples (1)	
		Max 6	6
			Total 60